

**Publications about the TARGIT IORT Technique and the TARGIT-A randomised trial  
(1995 – 2014)**

1. Vaidya JS, Vyas JJ, Mitra I, Chinoy RF. Multicentricity and its influence on conservative breast cancer treatment strategy. *Hongkong International Cancer Congress* 1995:Abstract 44.4.
2. Vaidya JS, Vyas JJ, Chinoy RF, Merchant N, Sharma OP, Mitra I. Multicentricity of breast cancer: whole-organ analysis and clinical implications. *British journal of cancer* 1996;74(5):820-4.
3. Baum M, Vaidya JS, Mitra I. Multicentricity and recurrence of breast cancer. *Lancet* 1997;349(9046):208.
4. Douek M, Vaidya JS, Baum M, Taylor I. Magnetic-resonance imaging and breast cancer multicentricity. *Lancet* 1998;352(9128):652-3.
5. Vaidya JS, Baum M, Tobias JS, Houghton J. Targeted Intraoperative Radiotherapy (TARGIT)- trial protocol. *The Lancet* 1999; : <http://www.thelancet.com/protocol-reviews/99PRT-47>.
6. Vaidya JS, Baum M, Tobias JS, D'Souza DP, Naidu SV, Morgan S, Metaxas M, Harte KJ, Sliiski AP, Thomson E. Targeted intra-operative radiotherapy (Targit): an innovative method of treatment for early breast cancer. *Annals of oncology : official journal of the European Society for Medical Oncology / ESMO* 2001;12(8):1075-80.
7. Vaidya JS, Baum M, Tobias JS, Morgan S, D'Souza D. The novel technique of delivering targeted intraoperative radiotherapy (Targit) for early breast cancer. *European journal of surgical oncology : the journal of the European Society of Surgical Oncology and the British Association of Surgical Oncology* 2002;28(4):447-54.
8. Vaidya JS, Hall-Craggs M, Baum M, Tobias JS, Falzon M, D'Souza DP, Morgan S. Percutaneous minimally invasive stereotactic primary radiotherapy for breast cancer. *The lancet oncology* 2002;3(4):252-3.
9. Vaidya JS. A novel approach for local treatment of early breast cancer. . *PhD Thesis, University of London* 2002 <http://www.ucl.ac.uk/~rmhkjsv/papers/thesis.htm>.
10. Kraus-Tiefenbacher U, Steil V, Bauer L, Melchert F, Wenz F. A novel mobile device for intraoperative radiotherapy (IORT). *Onkologie*. 2003;26(6):596-98.
11. Vaidya JS, Wilson AJ, Houghton J, Tobias JS, Joseph D, Wenz F, Hilaris B, Massarut S, Keshtgar M, Sainsbury R, Taylor I, D'Souza D, Saunders C, Corica T, Candiani E, Arcicasa M, Baum M. Cosmetic outcome after targeted intraoperative radiotherapy (targit) for early breast cancer. *Breast Cancer Research & Treatment* 2003;82(S180):1039.
12. Tobias JS, Vaidya JS, Keshtgar M, D'Souza DP, Baum M. Reducing radiotherapy dose in early breast cancer: the concept of conformal intraoperative brachytherapy. *The British journal of radiology* 2004;77(916):279-84.
13. Vaidya JS, Tobias JS, Baum M, Keshtgar M, Joseph D, Wenz F, Houghton J, Saunders C, Corica T, D'Souza D, Sainsbury R, Massarut S, Taylor I, Hilaris B. Intraoperative radiotherapy for breast cancer. *The lancet oncology* 2004;5(3):165-73.
14. Vaidya JS, Tobias J, Baum M, Keshtgar M, Houghton J, Wenz F, Corica T, Joseph D. Intraoperative radiotherapy: the debate continues. *The lancet oncology* 2004;5(6):339-40.
15. Vaidya JS, Baum M, Tobias JS, Wenz F, Massarut S, Hilaris BS, Houghton J, Murphy O, Saunders C, Corica T, Harrison E, Keshtgar M, Douek M, Sainsbury R, Kraus-

- Tiefenbacher U, Melchart F, Joseph D. Targeted intraoperative radiotherapy (TARGIT) as a boost yields very low recurrence rates. *Breast cancer research and treatment* 2005;94:S180-S80.
16. Herskind C, Steil V, Kraus-Tiefenbacher U, Wenz F. Radiobiological aspects of intraoperative radiotherapy (IORT) with isotropic low-energy X rays for early-stage breast cancer. *Radiat Res* 2005;163(2):208-15.
  17. Kraus-Tiefenbacher U, Sceda A, Steil V, Hermann B, Kehrer T, Bauer L, Melchert F, Wenz F. Intraoperative radiotherapy (IORT) for breast cancer using the Intrabeam system. *Tumori* 2005;91(4):339-45.
  18. Vaidya JS, Tobias JS, Baum M, Wenz F, Kraus-Tiefenbacher U, D'Souza D, Keshtgar M, Massarut S, Hilaris B, Saunders C, Joseph D. TARGeted Intraoperative radiotherapy (TARGIT): an innovative approach to partial-breast irradiation. *Seminars in radiation oncology* 2005;15(2):84-91.
  19. Enderling H, Anderson AR, Chaplain MA, Munro AJ, Vaidya JS. Mathematical modelling of radiotherapy strategies for early breast cancer. *J Theor Biol* 2006;241(1):158-71.
  20. Herskind C, Schalla S, Hahn EW, Hover KH, Wenz F. Influence of different dose rates on cell recovery and RBE at different spatial positions during protracted conformal radiotherapy. *Radiat.Prot.Dosimetry.* 2006;122(1-4):498-505.
  21. Kraus-Tiefenbacher U, Bauer L, Kehrer T, Hermann B, Melchert F, Wenz F. Intraoperative radiotherapy (IORT) as a boost in patients with early-stage breast cancer -- acute toxicity. *Onkologie.* 2006;29(3):77-82.
  22. Kraus-Tiefenbacher U, Bauer L, Sceda A, Fleckenstein K, Keller A, Herskind C, Steil V, Melchert F, Wenz F. Long-term toxicity of an intraoperative radiotherapy boost using low energy X-rays during breast-conserving surgery. *Int J Radiat.Oncol.Biol.Phys.* 2006;66(2):377-81.
  23. Wenz F, Welzel G, Keller A, Blank E, Vorodi F, Herskind C, Tome O, Sutterlin M, Kraus-Tiefenbacher U. Early initiation of external beam radiotherapy (EBRT) may increase the risk of long-term toxicity in patients undergoing intraoperative radiotherapy (IORT) as a boost for breast cancer. *Breast* 2008;17(6):617-22.
  24. Massarut S, Baldassare G, Belletti B, Reccanello S, D'Andrea S, Ezio C, Perin T, Roncadin M, Vaidya JS. Intraoperative radiotherapy impairs breast cancer cell motility induced by surgical wound fluid. *Journal of Clinical Oncology* 2006;24(18S):10611.
  25. Tobias JS, Vaidya JS, Keshtgar M, Douek M, Metaxas M, Stacey C, Sainsbury R, D'Souza D, Baum M. Breast-conserving surgery with intra-operative radiotherapy: the right approach for the 21st century? *Clinical oncology* 2006;18(3):220-8.
  26. Vaidya JS. In favour of partial breast irradiation in selected patients and a well-directed intraoperative boost. *Breast* 2006;15(5):581-3.
  27. Vaidya JS, Baum M, Tobias JS, Massarut S, Wenz F, Murphy O, Hilaris B, Houghton J, Saunders C, Corica T, Roncadin M, Kraus-Tiefenbacher U, Melchaert F, Keshtgar M, Sainsbury R, Douek M, Harrison E, Thompson A, Joseph D. Targeted intraoperative radiotherapy (TARGIT) yields very low recurrence rates when given as a boost. *International journal of radiation oncology, biology, physics* 2006;66(5):1335-8.
  28. Enderling H, Chaplain MA, Anderson AR, Vaidya JS. A mathematical model of breast cancer development, local treatment and recurrence. *J Theor Biol* 2007;246(2):245-59.
  29. Vaidya JS. Partial breast irradiation using targeted intraoperative radiotherapy (Targit). *Nature clinical practice. Oncology* 2007;4(7):384-5.
  30. Baum M, Vaidya JS. Targeted intra-operative radiotherapy-TARGIT for early breast cancer. *Ann N Y Acad Sci* 2008;1138:132-5.

31. Belletti B, Vaidya JS, D'Andrea S, Entschladen F, Roncadin M, Lovat F, Berton S, Perin T, Candiani E, Reccanello S, Veronesi A, Canzonieri V, Trovo MG, Zaenker KS, Colombatti A, Baldassarre G, Massarut S. Targeted Intraoperative radiotherapy (TARGIT) impairs surgical wound-stimulated breast cancer cell proliferation and invasion *Clin.Cancer Res.* 2008;14(5):1325-32.
32. Vaidya JS, Wazer DE, Vicini F, Arthur D. APBI with Targeted Intraoperative Radiotherapy. *Accelerated Partial Breast Irradiation Techniques and Clinical Implementation*: Springer Verlag, 2008.
33. Enderling H, Vaidya JS. Mathematical Modelling of Breast Carcinogenesis, Treatment with Surgery and Radiotherapy, and Local Recurrence. *Selected Topics in Cancer Modeling: Genesis, Evolution, Immune Competition and Therapy* New York, Boston: Springer, 2008.
34. Herskind C, Griebel J, Kraus-Tiefenbacher U, Wenz F. Sphere of equivalence--a novel target volume concept for intraoperative radiotherapy using low-energy X rays. *International journal of radiation oncology, biology, physics* 2008;72(5):1575-81.
35. Vaidya JS, Baldassarre G, Massarut S. Beneficial effects of intraoperative radiotherapy on tumor microenvironment could improve outcomes (Int J Radiat Oncol Biol Phys 2008;72:1575-1581). *International journal of radiation oncology, biology, physics* 2009;74(3):976.
36. Vaidya JS, Joseph DJ, Tobias JS, Bulsara M, Wenz F, Saunders C, Alvarado M, Flyger HL, Massarut S, Eiermann W, Keshtgar M, Dewar J, Kraus-Tiefenbacher U, Sutterlin M, Esserman L, Holtveg HM, Roncadin M, Pigorsch S, Metaxas M, Falzon M, Matthews A, Corica T, Williams NR, Baum M. Targeted intraoperative radiotherapy versus whole breast radiotherapy for breast cancer (TARGIT-A trial): an international, prospective, randomised, non-inferiority phase 3 trial. *The Lancet* 2010;376(9735):91-102.
37. Vaidya JS. Intraoperative radiotherapy for early breast cancer - Authors' reply. *The Lancet* 2010;376(9747):1143-44.
38. Herskind C, Wenz F. Radiobiological comparison of hypofractionated accelerated partial-breast irradiation (APBI) and single-dose intraoperative radiotherapy (IORT) with 50-kV X-rays. *Strahlentherapie und Onkologie : Organ der Deutschen Rontgengesellschaft ... [et al]* 2010;186(8):444-51.
39. Kraus-Tiefenbacher U, Welzel G, Brade J, Hermann B, Siebenlist K, Wasser KS, Schneider FS, Sutterlin M, Wenz F. Postoperative seroma formation after intraoperative radiotherapy using low-kilovoltage X-rays given during breast-conserving surgery. *International journal of radiation oncology, biology, physics* 2010;77(4):1140-5.
40. Keshtgar MR, Vaidya JS, Tobias JS, Wenz F, Joseph D, Stacey C, Metaxas MG, Keller A, Corica T, Williams NR, Baum M. Targeted intraoperative radiotherapy for breast cancer in patients in whom external beam radiation is not possible. *International journal of radiation oncology, biology, physics* 2011;80(1):31-8.
41. Vaidya JS, Baum M, Tobias JS, Wenz F, Massarut S, Keshtgar M, Hilaris B, Saunders C, Williams NR, Brew-Graves C, Corica T, Roncadin M, Kraus-Tiefenbacher U, Sutterlin M, Bulsara M, Joseph D. Long-term results of targeted intraoperative radiotherapy (TARGIT) boost during breast-conserving surgery. *International journal of radiation oncology, biology, physics* 2011;81(4):1091-7.
42. Andersen KG, Gartner R, Kroman N, Flyger H, Kehlet H. Persistent pain after targeted intraoperative radiotherapy (TARGIT) or external breast radiotherapy for breast cancer: A randomized trial. *Breast* 2011.

43. Wenz F, Welzel G, Blank E, Hermann B, Steil V, Sutterlin M, Kraus-Tiefenbacher U. Intraoperative radiotherapy as a boost during breast-conserving surgery using low-kilovoltage X-rays: the first 5 years of experience with a novel approach. *International journal of radiation oncology, biology, physics* 2010;77(5):1309-14.
44. Aziz MH, Schneider F, Clausen S, Blank E, Herskind C, Afzal M, Wenz F. Can the risk of secondary cancer induction after breast conserving therapy be reduced using intraoperative radiotherapy (IORT) with low-energy x-rays? *Radiat Oncol* 2011;6:174.
45. Clausen S, Schneider F, Jahnke L, Fleckenstein J, Hesser J, Glattig G, Wenz F. A Monte Carlo based source model for dose calculation of endovaginal TARGIT brachytherapy with INTRABEAM and a cylindrical applicator. *Zeitschrift fur medizinische Physik* 2012;22(3):197-204.
46. Keshtgar MR, Eaton DJ, Reynolds C, Pigott K, Davidson T, Gauter-Fleckenstein B, Wenz F. Pacemaker and radiotherapy in breast cancer: is targeted intraoperative radiotherapy the answer in this setting? *Radiat Oncol* 2012;7(1):128.
47. Neumaier C, Blank E, Welzel G, Abo-Madyan Y, Kraus-Tiefenbacher U, Keller A, Gerhardt A, Sutterlin M, Wenz F. TARGIT-E(Ilderly) - Prospective phase II study of intraoperative radiotherapy (IORT) in elderly patients with small breast cancer. *BMC cancer* 2012;12(1):171.
48. Sperk E, Welzel G, Keller A, Kraus-Tiefenbacher U, Gerhardt A, Sutterlin M, Wenz F. Late radiation toxicity after intraoperative radiotherapy (IORT) for breast cancer: results from the randomized phase III trial TARGIT A. *Breast cancer research and treatment* 2012;135(1):253-60.
49. Wasser K, Ruch M, Brade J, Schoeber C, Kraus-Tiefenbacher U, Schnitzer A, Engel D, Wenz F, Sutterlin M, Schoenberg SO, Buesing KA. Do structural changes in the tumour bed after intraoperative radiotherapy (IORT) of breast cancer complicate the evaluation of mammograms in a long-term follow-up? *European journal of radiology* 2012;81(3):e255-9.
50. Wasser K, Schnitzer A, Engel D, Krammer J, Wenz F, Kraus-Tiefenbacher U, Suetterlin M, Schoenberg SO, Weisser G. First description of MR mammographic findings in the tumor bed after intraoperative radiotherapy (IORT) of breast cancer. *Clinical imaging* 2012;36(3):176-84.
51. Wenz F, Blank E, Welzel G, Hofmann F, Astor D, Neumaier C, Herskind C, Gerhardt A, Suetterlin M, Kraus-Tiefenbacher U. Intraoperative radiotherapy during breast-conserving surgery using a miniature x-ray generator (Intrabeam(R)): theoretical and experimental background and clinical experience. *Womens Health (Lond Engl)* 2012;8(1):39-47.
52. Engel D, Schnitzer A, Brade J, Blank E, Wenz F, Suetterlin M, Schoenberg S, Wasser K. Are mammographic changes in the tumor bed more pronounced after intraoperative radiotherapy for breast cancer? Subgroup analysis from a randomized trial (TARGIT-A). *The breast journal* 2013;19(1):92-5.
53. Vaidya JS, Benson JR, Tobias JS. Targeted intraoperative radiotherapy for breast cancer: not all cancers in the breast will grow. In: Benson JR, Gui GPH, Tuttle T, editors. *Early Breast Cancer: From Screening to Multidisciplinary Management*. 3rd Ed ed. London: CRC Press, Taylor Francis Group, 2013:455-63.
54. Vaidya JS, Bulsara M, Wenz F, Massarut M, Joseph D, Tobias JS, Williams N, Baum M. The Lower Non-Breast Cancer Mortality With TARGIT in the TARGIT-A Trial Could Be a Systemic Effect of TARGIT on Tumor Microenvironment. *International journal of radiation oncology, biology, physics* 2013;87(2):S240.

55. Vaidya JS, Wenz F, Bulsara M, Massarut M, Tobias JS, Williams N, Joseph D, Baum M. Omitting Whole Breast Radiation Therapy did not Increase Axillary Recurrence in the TARGIT-A Trial. *International journal of radiation oncology, biology, physics* 2013;87(3):S7.
56. Vaidya JS, Wenz F, Bulsara M, Tobias JS, Massarut M, Williams N, Joseph D, Baum M. Case selection for targeted intraoperative radiotherapy (TARGIT). *European Journal of Cancer* 2013;49:S451.
57. Liu Q, Schneider F, Ma L, Wenz F, Herskind C. Relative Biologic Effectiveness (RBE) of 50 kV X-rays Measured in a Phantom for Intraoperative Tumor-Bed Irradiation. *International journal of radiation oncology, biology, physics* 2013;85(4):7.
58. Welzel G, Boch A, Sperk E, Hofmann F, Kraus-Tiefenbacher U, Gerhardt A, Suetterlin M, Wenz F. Radiation-related quality of life parameters after targeted intraoperative radiotherapy versus whole breast radiotherapy in patients with breast cancer: results from the randomized phase III trial TARGIT-A. *Radiat Oncol* 2013;8(1):9.
59. Sperk E, Astor D, Keller A, Welzel G, Gerhardt A, Tuschy B, Sutterlin M, Wenz F. A cohort analysis to identify eligible patients for intraoperative radiotherapy (IORT) of early breast cancer. *Radiat Oncol* 2014;9:154.
60. Alvarado MD, Mohan AJ, Esserman LJ, Park CC, Harrison BL, Howe RJ, Thorsen C, Ozanne EM. Cost-effectiveness analysis of intraoperative radiation therapy for early-stage breast cancer. *Annals of surgical oncology* 2013;20(9):2873-80.
61. Alvarado MD, Conolly J, Park C, Sakata T, Mohan AJ, Harrison BL, Hayes M, Esserman LJ, Ozanne EM. Patient preferences regarding intraoperative versus external beam radiotherapy following breast-conserving surgery. *Breast cancer research and treatment* 2014;143(1):135-40.
62. Keshtgar MR, Williams NR, Bulsara M, Saunders C, Flyger H, Cardoso JS, Corica T, Bentzon N, Michalopoulos NV, Joseph DJ. Objective assessment of cosmetic outcome after targeted intraoperative radiotherapy in breast cancer: results from a randomised controlled trial. *Breast cancer research and treatment* 2013;140(3):519-25.
63. Esserman LJ, Alvarado MD, Howe RJ, Mohan AJ, Harrison B, Park C, O'Donoghue C, Ozanne EM. Application of a decision analytic framework for adoption of clinical trial results: are the data regarding TARGIT-A IORT ready for prime time? *Breast cancer research and treatment* 2014;144(2):371-8.
64. Vaidya JS, Bulsara M, Wenz F. Ischemic heart disease after breast cancer radiotherapy. *New England Journal of Medicine* 2013;368(26):2526-27.
65. Vaidya JS, Wenz F, Bulsara M, Tobias JS, Joseph DJ, Keshtgar M, Flyger HL, Massarut S, Alvarado M, Saunders C, Eiermann W, Metaxas M, Sperk E, Sutterlin M, Brown D, Esserman L, Roncadin M, Thompson A, Dewar JA, Holtveg HM, Pigorsch S, Falzon M, Harris E, Matthews A, Brew-Graves C, Potyka I, Corica T, Williams NR, Baum M, TARGIT-trialists'-group. Risk-adapted targeted intraoperative radiotherapy versus whole-breast radiotherapy for breast cancer: 5-year results for local control and overall survival from the TARGIT-A randomised trial. *Lancet* 2014;383(9917):603-13.
66. Vaidya JS, Wenz F, Bulsara M, Tobias JS, Joseph D, Baum M. Radiotherapy for breast cancer, the TARGIT-A trial - Authors' reply. *Lancet* 2014;383(9930):1719-20.

[note: this is not an exhaustive list]